Zebrafish International Resource Center

prkci ^{hi3208Tg}

Nature of the mutation

hi3208Tg constitutes a retrovirus-induced mutation:

- Amsterdam *et al.* Genes Dev. 13(20):2713-2724 (1999)
- Golling *et al.* Nat. Genet. 31(2):135-140 (2002)
- Amsterdam *et al.* Proc. Natl. Acad. Sci. USA 101(35):12792-12797 (2004)

Genotyping assay

The forward primer (**Hi3208_5E01**) anneals to the 5'-portion of the retrovirus that causes the mutation, and the reverse primer (**Hi3208_5E03**) anneals to the adjacent genomic region flanking the virus.

Primers:
Hi3208_5E01: 5' GCT TGC CAA ACC TAC AGG TG 3'
Hi3208_5E03: 5' ACC TTA CAC ATG CCG TAA TCG 3'

PCR program (60_40_40):

1_94°C for 3 min
2_94°C for 30 s
3_**60**°C for **40** s
4_72°C for **40** s
5_Go to step 2 (above) for 34 cycles
6_72°C for 5 min
7_8.0°C hold
8_END

Product size: 349 bp
The 349 bp product is specific for the *hi3208Tg* mutant genomic DNA. No PCR product is generated for wild-type genomic DNA.

Zebrafish International Resource Center (ZIRC)
5274 University of Oregon
Eugene, OR 97403-5274, USA
Phone: 541-346-6028
Email: genotyping@zebrafish.org
Web: http://zebrafish.org